

CITYSPOT®

CITY BOX 3750



SULO®

EFFICIENT, DURABLE, AND URBAN-READY WASTE CONTAINERS

City Box 3.750 L



BILATERAL



VERTICAL



ACCESS
CONTROL



LEVEL
MEASUREMENT



PAY AS YOU
THROW

Designed for maximum efficiency and durability, our containers combine ease of use, advanced collection features, and customizable options to seamlessly integrate into any urban environment.

Ease of Use

- Low throw-in height (<1.200 mm) for all waste types.
- Optional hands-free convenience with pedal opening.

Optimized Collection Efficiency

- Smooth and secure emptying with Kinshofer lifting system.
- Rapid unloading with bottom flaps opening up to 87°.
- Leak-proof flaps hold leachate (>10% of nominal volume).

Superior Design and Durability

- Reinforced lifting system for reliability.
- Protected hinges ensure long-lasting functionality.
- Vertical side walls minimize waste build-up.

Customizable for Urban Needs

- Rounded, modern design fits urban aesthetics.
- Large surfaces for stickers or branding.
- Optional centering device and metallic bank for added stability.



LIFTING DEVICES



Kinshofer

SLOT SYSTEMS*




Residual waste
1.190 x 380 mm
RAL 7038




Residual waste
1.040 x 340 mm
RAL 7038



Packaging
2x 490 x 290 mm
RAL 1018



Paper
1.030 x 200 mm
RAL 5012



Cardboard
1.030 x 200 mm
RAL 8025

COLOURS

Body




RAL 7037

* All slot Systems on demand

City Box 3.750 L

TECHNICAL SPECIFICATIONS



City Box 3.000 L


Dimensions ~ (mm)		Volumes	
A Width	1.800	Useful Volumes ~ (l)	3.450
B Height	1.620	Unloaded weight (kg)	325
C Depth	1.600	Leachate capacity ~ (l)	400

PEDAL & HANDLE



Pedal and ergonomic handle ensures easy, touch-free operation

ALIGNMENT GUIDE




Keeps containers stable and correctly positioned

PERSONALISATION



White - Useful surface: W 661 x H 650 mm
Black - Sticker: W 610-640 x H 610-630 mm
Red: Side sticker

SOUNDPROOF



Soundproofing for glass collection containers

ACCESS CONTROL



Smart user interface & system connectivity

MECHANICAL KEY



Mechanical key access for service managers

CITY BOX

3750

TECHNICAL SPECIFICATIONS

Dimensions	Depth: 1.600 mm, Width: 1.800 mm, Height: 1.620 mm
Useful volumes	2.800 l
Empty weight	287 kg
Lifting device	Kinshofer

INSTALLATION

Transport	Unassembled 36 units per Container 40" High Cube Assembled 8 units
-----------	---

HANDLING, COMFORT AND FLEXIBILITY

Compactor	-
Accessability	• (glass, packaging, paper)
Foot pedal	•
Ergonomic Handle	•
Sound-proofing	Sprayed polyurethane foam applied to the base and walls

EMPTYING

Number of operators	†
Duration of emptying	1-2 min
Cost of emptying	€

SERVICE

Pay as you throw billing	•
Access control	•
Level measurement	•

FRACTIONS

Residual waste RAL 7038	Sliding door : 1.190 x 380 mm
Residual waste RAL 7037	1.040 x 340 mm
Packaging RAL 1018	2x 490 x 290 mm
Paper RAL 5012	1.030 x 200 mm
Cardboard RAL 8025	1.030 x 200 mm

STANDARDS

Certifications	NF EN 13071-1 & NF EN 13071-3
----------------	-------------------------------

sulo.com